



# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

## GENERAL INFO

### CONTACT

#### Muziekclub N9 / venue

Kerkstraat 121  
9900 Eeklo  
Belgium

#### Production & Technical

Sander Wouters  
T 0032 479 34 33 10  
[sander@n9.be](mailto:sander@n9.be)

#### N9 offices

Molenstraat 31  
9900 Eeklo  
T 0032 9 377 93 94  
[info@n9.be](mailto:info@n9.be)

The office is open on weekdays

### Layout N9 club

N9 club is a modestly sized, but well equipped music club. It consists of a concert hall at ground level, and artist accomodation on the first and second floor.

### Concert hall

The concert hall measures 9,80m by 17m. The room can contain a maximal amount of 320 people standing and 160 seated. The stage is set up against the back wall of the room. The stage measurements are 7m x 4,60m. The distance from the stage floor up to the ceiling is 4,5m. Behind the stage, there is some heavy, acoustically absorbing, fireproofed cloth. The stage floor is covered with carpet.

The concert room is fitted with a fixed sound system, that can be operated from a DJ-setup, in the concert room or on stage. Wi-fi is available.

### PA-setup

The FOH-control devices are set up centrally in the back of the room, not seperated from the audience.

Next to the stage is a secondary PA-room, with control devices for the monitoring and stage connections.

### Parking and loading

The concert hall is provided with a loading bay. This is accessible by car from the outside, also bigger vehicles (vans, tourbusses) can reach it. Parking is just a 1 minute walk from loading bay. Promotor will advise TM in advance about load-in and parking. Check [this link](#) for a route description.

### Electricity

When N9's own PA setup is used, N9 guarantees a separate electrical circuit for backline/instruments (16A / 220V) and lights. N9 can also provide a high-quality 220V-110V convertor (for US amps and instruments).



# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

## Safety

N9 is a non-smoking venue that meets all safety requirements issued by the Belgian government. There are sufficient emergency exits and -lighting plus the concert room is completely soundproofed. Use of non-fireproof stage props, smoke machines, effects, etc. have to be checked with the N9 technical staff in advance.

## TECHNICAL INFO

**NATIONAL SOUND REGULATIONS  
MAXIMUM SOUND LEVEL AT FOH POSITION:  
100 dB L<sub>Aeq</sub> 60 min AND 102 dB L<sub>Aeq</sub> 15 min**

Sound level restrictions can and will be checked by city services at any moment. Any violation of this rule might cause us to lose our license. The venue staff has full authority to intervene when bands don't respect the restrictions. We have 10Eazy measuring software.

## **FRONT OF HOUSE**

### FOH mixing desk

Midas M32 digital mixer – latest firmware  
with usb card

Powerconditioner Furman PI-Plus E

CD recorder Tascam CD-RW900

### Amplifier / Processor

1 x L-Acoustics LA4X

2 x L-Acoustics LA8

Class D amplification, 96 kHz/32 bit DSP, Ethernet network

### Speakers

8 x L-Acoustics KARAll line array (4 x left / 4 x right)

6 x L-Acoustics SB18 sub (3 x left / 3 x right – cardio)

### In-fill

2 x L-Acoustics ARC Wide top (front truss)

## **STAGE**

### Monitor mixing desk

Midas M32 digital mixer – latest firmware

Midas DL32: 32 input / 16 output stagebox

Cat5-cable AZS50 compatible, Ethercon connectors

Powerconditioner Furman PL-Pro DMC E

### Monitor speakers

9 x powered wedge Turbosound iQ12 - 2500 Watt

2 x powered sub Turbosound iQ15B – 3000 Watt



# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

## **MICROPHONES (number available)**

Shure SM58 (9)  
Shure Beta 58A (3)  
Shure SM57 (7)  
Shure SM 81 condens. (2)  
Shure Beta 57A (2)  
Shure Beta 87 (1)  
Shure Beta 52 (2)  
Shure Beta 91 (1)  
Sennheiser MD421 (3)  
Sennheiser MD441U (2)  
Sennheiser e604 (3)  
Sennheiser e906 (2)  
Audix D6 (1)  
Audix D4 (2)  
AKG C414 XLS/ST condens stereo set (1)  
AKG D112 (1)  
AKG D12E (1)  
AKG SE 300B (CK 91) condens. (2)  
AKG C1000 condens. (2)  
AKG C408 condens. (1)  
Beyerdynamic M160 (1)  
DPA 4099 (2) + clamp  
DPA D:Facto (1)  
Electrovoice RE20 (2)  
T.bone RB 500 (2)  
Shure Wireless Beta58 (1) + ULXD4D

## D.I.

10 x BSS AR-133 active DI-box  
2 x Radial J48 active stereo DI

## Mic stands

14 x tall boom stand  
12 x small boom stand  
4 x floor stand  
2 x tall stand round base

## **LIGHTS**

Chamsys/Magicq PC Wing Compact console  
Chamsys/Magicq software on Apple Mac Mini – latest stable  
Iiyama T1731SR-B1 17" ProLite Touch Screen led monitor  
2 x Briteq DMS-26 DMX Merger/Splitter / 2 x in / 6 x out



# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

Patch + plots: [click here](#)

## VISUALS / PROJECTION

1 x Panasonic PT-FRQ50B laser 5.200 ANSI Lumen 4K (ceiling mounted)

1 x electrical whitescreen 500x281cm (16:9)

Chromecast or HDMI connection

## BACKLINE

1 x guitar amp Fender '65 Twin Reverb (2x12") 85W

1 x guitar amp Fender Hot Rod Deville (4x10") 100W

1 x guitar amp Hughes and Kettner Attax 100 (1x12" ) 100W

1 x bass amp Ampeg B248 (4 x 8") 200W

1 x bass amp Ampeg B500DR (programmable transistor)

1 x Ampeg 410HLF cabinet

1 x drumkit Masters Maple Complete (Red Burst Stripe) MCT923XSP/C836:

1 x 22" kick MCT2216BX/C836, 1 x 20" kick MCT2014BX/C836, 1 x 10" tom MCT1007T/C836,

1 x 12" tom MCT1208T/C836, 1 x 14" floortom MCT1414F/C836, 1 x 16" floortom MCT1616F/C836

1 x 14" snare MCT1455S/C103

Stands: 2 x TC-980W/B (cymbal/tomstand), 1 x BC-930 Cymbal boom stand,

2 x C-800 cymbal stand, 1 x C-930 Straight cymbal stand, 1 x H-930 Hi-Hat stand,

1 x S-930 Snare stand, 1 x S-800 snare stand,

1 x P-930 Single bass drum pedal, 1 x Gibraltar 5611 Single Pedal,

1 x Pearl Throne D-1500RGL

Optional cymbal set: Zildjan ZBT: 20" ride, 18" crash, 16" crash, 14" high hat

1 x drumkit Pearl Export Series 22D-5DW/A2:

basdrum 18"-20" (head 22", 1 x Remo Falam Slam Pad),

mounted toms 10"-10" (head 10") + 12"-10" (head 12") + 14"-16" (head 14"), floor tom 16"-16"

(head 16"), snare drum 6 1/2"-14" (head 14"), 1 x DW drummer's throne

stands: B-800 boomstand, S-800 snare stand, H-800 hihat stand, Gibraltar drum pedal, 2 x C-800

cymbal stand, TH 86 tom holder, TH 86S tom holder short, AX-20 adapter

Optional cymbal set: Zildjan ZBT: 20" ride, 18" crash, 16" crash, 14" high hat

1 x keyboard stand double braced single tier

2 x keyboard stand Quik Lok QL/642 2-tier (also single tier usage)

3 x guitar stand

1 x saxophone stand

1 x Soundcraft MPMi 20 analogue mixer

## DJ GEAR

1 x Allen & Heath Xone:42 mixer

1 x Denon DJ DN-D4500MK2 - double cd player

2 x Technics SL-1210 MK2 turntable

2 x Ortofon Concorde Pro Scratch & Mix needle

2 x Stanton 500 AL needle



# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

## LIGHT PATCH - MUZIEKCLUB N9

Type	Patch	Mode	Optics	Description
Generic dimmer	01-003	Control		Tour hazer pump
Generic dimmer	01-004	Control		Tour hazer fan
Showtec LEDPar64Short	01-010	RGB Mode		Hall light
Showtec LEDPar64Short	01-010	RGB Mode		Hall light
Showtec LEDPar64Short	01-010	RGB Mode		Hall light
Showtec LEDPar64Short	01-010	RGB Mode		Hall light
Showtec LEDPar64Short	01-010	RGB Mode		Hall light
Chauvet RogueR1Wash	01-015	15ch	11° - 48°	Frontwash
Chauvet RogueR1Wash	01-030	15ch	11° - 48°	Frontwash
Chauvet RogueR1Wash	01-045	15ch	11° - 48°	Frontwash
Chauvet RogueR1Wash	01-060	15ch	11° - 48°	Frontwash
Chauvet DJ Shocker2	01-140	4ch	60°	Blinder
Chauvet DJ Shocker2	01-140	4ch	60°	Blinder
Chauvet DJ Shocker2	01-140	4ch	60°	Blinder
Chauvet RogueR1XWash	01-150	15ch	11° - 48°	Backwash
Chauvet RogueR1XWash	01-165	15ch	11° - 48°	Backwash
Chauvet RogueR1XWash	01-180	15ch	11° - 48°	Backwash
Chauvet RogueR1XWash	01-195	15ch	11° - 48°	Backwash
Chauvet RogueR1XWash	01-210	15ch	11° - 48°	Backwash
Chauvet RogueR1XWash	01-225	15ch	11° - 48°	Backwash
Luxibel LX108	01-240	mode 3	25°	Floorpar
Luxibel LX108	01-250	mode 3	25°	Floorpar
Luxibel LX108	01-260	mode 3	25°	Floorpar
Luxibel LX108	01-270	mode 3	25°	Floorpar
Luxibel LX108	01-280	mode 3	25°	Floorpar
Luxibel LX108	01-290	mode 3	25°	Floorpar
Starway Lusso	01-300	29ch	15° - 36°	Backspot
Starway Lusso	01-330	29ch	15° - 36°	Backspot
Starway Lusso	01-360	29ch	15° - 36°	Backspot
Starway Lusso	01-390	29ch	15° - 36°	Backspot
Starway Lusso	01-420	29ch	15° - 36°	Backspot
Starway Lusso	01-450	29ch	15° - 36°	Backspot
Briteq Pro Beamer Zoom	02-015	Tour	8° - 40°	Hall light
Briteq Pro Beamer Zoom	02-030	Tour	8° - 40°	Hall light
Briteq Pro Beamer Zoom	02-045	Tour	8° - 40°	Hall light



# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

Briteq Pro Beamer Zoom	02-060	Tour	8° - 40°	Hall light
Briteq Pro Beamer Zoom	02-075	Tour	8° - 40°	Hall light
Briteq Pro Beamer Zoom	02-090	Tour	8° - 40°	Hall light
American DJ Megabar Tri	02-110	4ch	40°	Floor led bar
American DJ Megabar Tri	02-114	4ch	40°	Floor led bar
American DJ Megabar Tri	02-118	4ch	40°	Floor led bar
American DJ Megabar Tri	02-122	4ch	40°	Floor led bar
Generic dimmer	02-130	Control		PAR56 floor
Generic dimmer	02-131	Control		PAR56 floor
Generic dimmer	02-132	Control		PAR56 floor
Generic dimmer	02-133	Control		PAR56 floor
Generic dimmer	02-134	Control		PAR56 floor
Generic dimmer	02-135	Control		PAR56 floor
Generic dimmer	02-136	Control		Sidepar1 truss
Generic dimmer	02-137	Control		Sidepar2 truss
Generic dimmer	02-138	Control		Sidepar3 truss
Generic dimmer	02-139	Control		Sidepar4 truss
Generic dimmer	02-140	Control		Fresnel front
Generic dimmer	02-141	Control		Fresnel front
Generic dimmer	02-142	Control		Fan
Generic dimmer	02-143	Control		
VariLite VL880	02-300	30ch		Frontspot
VariLite VL880	02-330	30ch		Frontspot
VariLite VL880	02-360	30ch		Frontspot
VariLite VL880	02-390	30ch		Frontspot

**LIGHTPLOTS CLICK LINK BELOW**

[https://www.dropbox.com/sh/6yhoenvdpvu05uz/AADIE1p1kIBKZWsXB\\_SO1qoCa?dl=0](https://www.dropbox.com/sh/6yhoenvdpvu05uz/AADIE1p1kIBKZWsXB_SO1qoCa?dl=0)




# TECHNICAL RIDER VENUE

muziekclub N9 / v.z.w. Driewerf Hoera

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

## LAYOUT VENUE





# TECHNICAL RIDER VENUE

**muziekclub N9 / v.z.w. Driewerf Hoera**

N9 club: Kerkstraat 121, 9900 Eeklo

N9 offices: Molenstraat 31, 9900 Eeklo

